



The Exo Housing System

A fast, smart shelter — anywhere you need to be.



Disaster Relief

Rapid response, short term shelters for victims of natural disasters, human conflicts and forced migration. Quickly and securely house displaced populations with dignity.



Workforce

Temporary housing, office space and storage units for workers and teams. Efficient, modern facilities that are highly portable for quick deployments to even the most remote job sites.



Recreation

Onsite accommodations for sports, festivals, and special events. Modern and secure guest rooms that can be located within feet of the action so attendees never miss a thing.

Rapidly Deployable



Inspired by a sleeve of coffee cups, Exos stack together for efficient storage and transportation. 9 Exos fit on a single trailer, offering over 3 times more housing per truckload than a modified shipping container or trailer. The units can be moved over any US interstate highway without a wide load designation or special permitting. They can also be shipped via rail, cargo ship or even air lifted via cargo aircraft.

Easy to Set Up



An Exo consists of two fully assembled parts: a shell and base. Lightweight enough to be carried by hand, an Exo can be set up by four people in 2 minutes or less without the need for heavy equipment or tools. Just fold down the beds or furniture from the walls and plug in the unit.

Modern Amenities



The standard Exo configuration comes with interior LED lighting, a digital address display, locking doors, powered fans, and standard power outlets.

All furniture is modular and comes pre-installed in each Exo. Additional accessories, like HVAC, are available upon request.

The Exo Housing System **Specifications**

Size & Weight


The Exo is a two-part design: a shell and base, light enough to be set up by hand. Units are made to order with all furniture pre-installed.



Shell
375lbs / 170kg

Base
325lbs / 147kg

Stability
The Base has (6) stake points for securing to the ground & (7) leveling feet for uneven terrain.



Footprint
9'7" W x 8'6" D x 8'9" H
2.9m W x 2.6m D x 2.7m H

Standard Features



Locking Doors
NFC/RFID Digital ID,
manual keys



Lighting
Interior LEDs



Power
2 GFCI
protected outlets



Ventilation
2 Recessed
ceiling fans



Dynamic Addressing
Exterior LED Display

Details

Life Safety

Fire retardant materials
Smoke/CO alarm

Electrical System

Input: 110v – 220v AC connector,
regionally adaptable
15A circuit breaker
(additional electrical capacity
available)

Climate Control


(2) 166 CFM ceiling fans
(2) air diffusers for use with
external HVAC units
(4) floor mounted vents
(Wall mounted air conditioning
available)

Environment

5–10 year lifespan
Recyclable materials
PVC and formaldehyde-free
Mercury-free lighting

U.S. Patent 8,042,562. Domestic and foreign patents pending.
Copyright © 2016 Reaction, inc. All rights reserved.

The Exo Housing System **Configurations**



Exo Models



Sleeper 2

2 Large single beds (sleeps 2)
2 Shelves w/reading lamps



Sleeper 4

2 Bunk Beds (sleeps 4)
2 Shelves w/reading lamps



Pro

2 Desks
2 Shelves w/reading lamps

U.S. Patent 8,042,562. Domestic and foreign patents pending.
Copyright © 2016 Reaction, inc. All rights reserved.